

# NOTICE INVITING BIDS

(A Cash Contract)

Sealed proposals will be received by the City Clerk of the City of Hawthorne, California in the office of the City Clerk, located on the first floor in City Hall, 4455 West 126th Street, Hawthorne, until **4:00 P.M.** on **TUESDAY, April 24, 2012.**

Proposals will be publicly opened and recorded on a Bid List at 4:30 P. M. of the same day in the City Clerk's office. Bidders, as well as the general public, are invited to view this proceeding.

Proposals will be read at a meeting of the City Council at **6:00 P.M.** on **TUESDAY, April 24, 2012,** for the following:

## GENERAL MAINTENANCE 3 YEAR CONTRACT (Project # 12-01)

### SCOPE OF WORK

The work consists of furnishing all labor; tools and equipment necessary to do the abatement of weeds, cleaning lots, root pruning, tree removal, planting trees, landscape, replacing irrigation systems in the city parks, curb/gutter and sidewalk removal and replacement, installation of chain link fence and masonry block walls, installation of speed humps and the removal of rubbish, etc. at locations designated by the Engineer and as contained in the Proposal. The work shall be done by methods determined by the Engineer in the field and in accordance with the Specifications.

### ESTIMATED QUANTITIES

Submit pricing for the following unit quantities that will be valid for the duration of the contract.

<u>ITEM</u>	<u>APPROXIMATE QUANTITY</u>	<u>DESCRIPTION</u>
1	20 acres	Discing - lots greater than 1/2 acre
2	25 acres	Discing - lots less than 1/2 acre
3	90,000 sq. ft.	Mowing – lots
4	35,000 sq. ft.	Mowing – parkway
5	50,000 sq. ft.	Hand Cleaning of Debris from lots as required
6	40 locations	Removal of rubbish per 10 lbs. to 500lbs.
7	30 locations	Removal of rubbish per 500 lbs. to 1,000lbs.
8	25 locations	Removal of rubbish per 1,001 lbs. to 1 ton
9	25 locations	Removal of rubbish per 1 ton or more
10	20 Trees	10"-30" Removal of trees and stumps
11	30 Trees	30"-40" Removal of trees and stumps
12	15 Trees	40"- or above Removal of trees and stumps
13	30 Trees	Plant 24 gallon tree with root barriers

14	30 Trees	Plant 36 gallon tree with root barriers
15	1,000 L.F.	Root pruning and installation of barrier
16	300 L.F.	Install new 8-ft. high chain link fence
17	500 L.F.	Install new 14-ft. high chain link fence
18	500 L.F.	Install 6' high reinforced masonry block wall (8" thick)
19	5000 L.F.	Install 8' high reinforced masonry block wall (8" thick)
20	500 L.F.	Repair chain link fence
21	10,000 S.F.	Clean the sidewalks
22	50 Each	Install 6-ft. high barrier post
23	50 Each	Remove and replace 6-ft. wheel stop
24	25 Each	Remove bus bench
25	150 Each	Remove posters, flyers, signage, etc.
26	12,000 S.F.	Remove and excavate existing Sidewalk and Construct new 4" Thick PCC Sidewalk, per 112-1 Over 4" CMB.
27	300 Each	Remove and replace street signs
28	4,000 L.F.	Remove and replace curb and gutter
29	30 Each	Trash receptacle
30	30,000 S.F.	Remove and excavate existing Alleys Pavement and reconstruct new 8" Thick PCC Concrete Pavement, per APWA STD Plan 134-1 & 131-1 Over 7" CMB.
31	4,000 S.F.	Remove and excavate existing Driveway and Construct new 6" Thick PCC Driveway, per APWA STD Plan 110-1 Over 6" CAB.
32	10 Each	Speed Hump
33	10,000 S.F (localized repair)	Remove and replace asphalt concrete pavement (4" AC over 8" CMB)
34	20 Locations	Install Sewer Backflow Prevention Device
35	2 Each	2" Valves Superior 950's
36	200 L.F.	1" PVC PIPE -SCH 40
37	200 L.F.	2" PVC PIPE SCH 40 PVC

38	100 L.F.	2 ½" PVC pipe Class 315 sch. 40
39	100 L.F.	3" PVC pipe Class 315 sch. 40
40	100 L.F.	4" PVC pipe Class 315 sch. 40
41	400 L.F.	¾" PVC pipe Class 315 sch. 40
42	20 Each	Furnish and install 1812 Sams Rain Bird Pop-ups
43	1 Each	Furnish and install 32" Sprinkler Clock LeMeur Enclosure
44	40 Each	Furnish and install Hunter I-40,
45	40 Each	Furnish and install Hunter I-25
46	40 Each	Furnish and install Hunter I-20
47	2 Each	Controller Ev. Ex2 Stainless Steel
48	2 Each	1" Backflow prevention units/strainers
49	3 Each	1" Quick coupling valves
50	2 Each	Connection to existing 4" water lines
51	2 Each	Connection to existing 110v electrical power supply
52	5 Each	4" Gate valves
53	3 Each	3" Master valve # 3100
54	4 Each	2" Flow sensor
55	2 Each	Grounding protection (rod, plate, etc.)
56	100 L.F.	Tracer wires (main line routing)
57	20 Each	¾" PVC Fitting Schedule 40
58	20 Each	1" PVC Fitting Schedule 40
59	20 Each	1.5" PVC Fitting Schedule 40
60	20 Each	2" PVC Fitting Schedule 40
61	20 Each	2.5" PVC Fitting Schedule 40
62	20 Each	3" PVC Fitting Schedule 40
63	20 Each	4" PVC Fitting Schedule 40
64	100 Each	1" Marlex Street Ells
65	2 Each	PVC Weld-On 2711/P-70 Primer

66	100 Each	Wire/Cable 14 gage
67	20 Each	Rain Bird 1300 A-F Bubbler
68	6000 CY	Excavation (unclassified)
69	4 Each	2" Gate Valve T-113
70	1 Each	3" Pressure reducing Backflow 880 series with <u>Y</u> strainer
71	1 Each	48" LeMour Backflow Enclosure
72	10 Each	14" x 18" Rectangular Valve Boxes
73	5 Each	Valve Identification Tags
74	20 Each	Plant 1 Gallon Strelitzia Reginae "Birds of Paradise"
75	20 Each	Plant 1 Gallon Agapanthus Africanus "Lily of Nile"
76	20 Each	Plant 1 Gallon Raphiolepis "Ballerinas"
77	20 Each	Plant 1 Gallon Pittosporum Tobira Dwarf
78	20 Each	Plant 1 Gallon Pittosporum Tobira Variegated
79	20 Each	Plant 1 Gallon Trachelospermum Jasminoides "Star Jasmine"
80	20 Each	Plant 1 Gallon Ice Berg Roses
81	20 Each	Plant 1 Gallon Gazanias Ground Cover Flats
82	20 Each	Plant 5 Gallon Nandina Nana
83	20 Each	Plant 5 Gallon Penstemon
84	20 Each	Plant 5 Gallon Mexican Sage
85	20 Each	Plant 1 Gallon Cuphea
86	20 Each	Plant 5 Gallon Kangaroo Paw Red
87	20 Each	Plant 5 Gallon Bird of Paradise
88	20 Each	Plant 5 Gallon Liriope
89	20 Each	Plant 5 Gallon Garlic Variegata
90	500 L.F.	Install 18" Storm Drain Pipe including joints and connection into exist.

91	500 L.F.	Install 8" VCP including joints and connection into existing
92	200 L.F.	Install 6" VCP including joint and connection into existing
93	2 Each	Construct new catch basin per SPPWC Std. 300-3, W=7' including local depression per SPPWC Std. 313-3 over 6" CMB, Wd=7'
94	20,000 S.F.	Maintenance of median landscaped
95	2,000 Ton	Crushed Miscellaneous Base (CMB)

### **CLASSIFICATION OF CONTRACTORS**

Contractors bidding this project must possess a valid State of California A or a combination of C-27, C-8, C-36 Contractors' License.

### **SUBMISSION OF PROPOSALS**

Proposals must be submitted on the blank forms prepared and furnished for that purpose, which may be obtained at the office of the Hawthorne City Engineer. Bidders may also obtain copies of the Plans and Specifications for the contemplated work.

No bid will be considered unless it conforms to the Proposal Requirements and Conditions. The City Council of the City of Hawthorne, also referred to as the City, reserves the right to reject any and all proposals. Bids must be returned in the special pink envelopes provided, marked "SEALED BIDS", and addressed to the City Clerk.

Each proposal shall be accompanied by one of the following forms of bidder's security: cash, cashier's check, certified check, or bidder's bond, equal to ten percent (10%) of the bid price.

A list of subcontractors shall be submitted with the bid on the form provided by the City.

### **WAGES**

Pursuant to the provisions of Section 1770 through 1780, inclusive, of the Labor Code of the State of California, the City Council has ascertained the general prevailing rate of per diem wages for each craft or type of worker needed to execute the proposed contract, and it will be required that not less than said rates be paid to all such workers employed or engaged in the work.

In addition to the Contractor's obligations as to minimum wage rates, the Contractor shall abide by all other provisions and requirements stipulated in Sections 1770-1780, inclusive, of the Labor Code of the State of California, including, but not limited to, those dealing with the employment of registered apprentices. The responsibility of compliance with Section 1777.5 of the Labor Code shall be with the prime contractor.

### **NONDISCRIMINATION**

In performance of the terms of this contract, the Contractor shall not engage in, nor permit such subcontractors as he may employ from engaging in, discrimination in employment of persons because of the race, color, place of national origin or ancestry, sex, age or religion of such persons.

### **FEDERAL REQUIREMENTS**

*...projects/specs/12-01generalmaint/notice inviting bids*

Federal funds are being used to finance this project through the U. S. Department of Transportation. Accordingly, contractors and subcontractors must comply with all Federal contract requirements, including, not limited to, those specified in the Federal Requirements section of the Bid Specifications.

**Federal Wages:** The Contractor and his subcontractors are required to pay not less than the minimum Federal Prevailing Wage as set forth in the current General Wage Decision issued by the U. S. Department of Labor.

### **PERFORMANCE RETENTIONS**

The successful bidder will be required to provide for performance security as provided by law. Requirements for performance retentions may be satisfied by deposit or securities specified in Section 16430 of the Government Code, and in accordance with Section 22300 of the Public Contract Code.

### **DBE REQUIREMENTS**

The bidder shall make good faith efforts, as defined in Appendix A of 49 CFR Part 23, Regulations of the Office of the Secretary of Transportation, to subcontract six and two tenths percent (6.2%) of the dollar value of the prime contract to small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE). In the event that the bidder for this solicitation qualifies as a DBE, the contract goal shall be deemed to have been met. Individuals who are reputably presumed to be socially and economically disadvantaged include women, Blacks, Hispanics, Native Americans, Asian-Pacific Americans, and Asian-Indian Americans. The apparent successful competitor will be required to submit information concerning the DBE's that will participate in this contract. The information will include the name and address of each DBE, a description of the work to be performed by each firm, and the dollar value of the contract. If the bidder fails to achieve the contract goal stated herein, it will be required to provide documentation demonstrating that it made good faith efforts in attempting to do so. A bid that fails to meet these requirements will be considered non-responsive.

### **PROJECT INFORMATION**

Plans and Specifications are available at Hawthorne City Hall, Department of Public Works, Engineering Division (second floor), 4455 West 126th Street, Hawthorne, CA 90250. (310) 349-2980.

If you have any questions regarding this project, please contact **Jesus Velazques**, in the Department of Public Works, Engineering Division, at telephone number **(310) 349-2980**.